
CERTIFICATE

Certified Passive House Component

Component-ID 1062sl03 valid until 31st December 2022

Passive House Institute Dr.Wolfgang Feist 64283 Darmstadt Germany



Category: Sliding Door

Manufacturer: Purso Oy, Siuro,

Finland


Product name: Purso LK100ECO


This certificate was awarded based on the following criteria for the cool, temperate climate zone

Comfort $U_{SL} = 0.80 \le 0.80 \text{ W/(m}^2 \text{ K)}$

 $U_{SL,installed} \leq 0.85 \text{ W/(m}^2 \text{ K)}$ with $U_q = 0.70 \text{ W/(m}^2 \text{ K)}$

Hygiene $f_{Rsi=0.25}$ \geq 0.70





Description

Calculation model

Aluminum frame with load bearing core from rigid PU foam (0,051 W/(mK)) and aditional insulation 0.03, 0.05 and 0,06 W/(mK). Used Pane: 51 mm (5/18/5/18/5), intersection of the glass: 15 mm.

Isothermal

Explanation

The window U-values were calculated for the test window size of $2.40 \,\mathrm{m} \times 2.50 \,\mathrm{m}$ with $U_g = 0.70 \,\mathrm{W/(m^2 \, K)}$. If a higher quality glazing is used, the window U-values will improve as follows:

Glazing	$U_g =$	0.70	0.66	0.60	0.54	W/(m ² K)
		↓	\downarrow	\downarrow	\downarrow	
Window	$U_{SL} =$	0.80	0.76	0.72	0.67	$W/(m^2 K)$

Transparent building components are classified into efficiency classes depending on the heat losses through the opaque part. The frame U-Values, frame widths, thermal bridges at the glazing edge, and the glazing edge lengths are included in these heat losses. A more detailed report of the calculations performed in the context of certification is available from the manufacturer.

The Passive House Institute has defined international component criteria for seven climate zones. In principle, components which have been certified for climate zones with higher requirements may also be used in climates with less stringent requirements. In a particular climate zone it may make sense to use a component of a higher thermal quality which has been certified for a climate zone with more stringent requirements.

Further information relating to certification can be found on www.passivehouse.com and passipedia.org.

3/7 Purso LK100ECO

Frame values			Frame width <i>b_f</i> mm	<i>U</i> -value frame <i>U_f</i> W/(m² K)	Ψ -glazing edge Ψ_g W/(m K)	Temp. Factor f _{Rsi=0.25} [-]
Тор	(to)	Ť	162	0.79	0.026	0.79
Side	(s)	Ŋ-	133	0.76	0.026	0.78
Top fixed	(tof)	T	87	0.64	0.028	0.75
Side fixed	(sf)	I —	85	0.64	0.027	0.79
Bottom	(bof)	1	85	0.65	0.028	0.79
Threshold	(th)	1	150	0.91	0.026	0.75
Mullion 1 casement	(m1)		125 VISSPACER Ultimat	1.31	0.026 ondary seal: Polysulfi	0.70




Top


 $b_f = 162.00 \, \text{mm}$

 $U_f = 0.79 \, \text{W/(m}^2 \, \text{K)}$

 $\Psi_g = 0.026 \, \text{W/(m K)}$

 $f_{Rsi}=0.79$








Side

 $b_f = 133.00 \, \text{mm}$

 $U_f = 0.76 \, \text{W/(m}^2 \, \text{K)}$

 $\Psi_g = 0.026 \, \text{W/(m K)}$

 $f_{Rsi} = 0.78$








Top


 $b_f = 87.00 \, \text{mm}$

 $U_f = 0.64 \, \text{W/(m}^2 \, \text{K)}$

 $\Psi_g = 0.028 \, \text{W/(m K)}$

 $f_{Rsi} = 0.75$








Side fixed


 $b_f = 85.00 \,\mathrm{mm}$

 $U_f = 0.64 \, \text{W/(m}^2 \, \text{K)}$

 $\Psi_g = 0.027 \, \text{W/(m K)}$

 $f_{Rsi} = 0.79$








Bottom


 $b_f = 85.00 \, \text{mm}$

 $U_f = 0.65 \, \text{W/(m}^2 \, \text{K)}$

 $\Psi_g = 0.028\,\mathrm{W/(m\,K)}$

 $f_{Rsi}=0.79$








Threshold


 $b_f = 150.00 \,\mathrm{mm}$

 $U_f = 0.91 \, \text{W/(m}^2 \, \text{K)}$

 $\Psi_g = 0.026 \, \mathrm{W/(m \, K)}$

 $f_{Rsi}=0.75$








Mullion

 $b_f = 125.00 \,\mathrm{mm}$

 $U_f = 1.31 \, \text{W/(m}^2 \, \text{K)}$

 $\Psi_g = 0.026 \, \text{W/(m K)}$

 $f_{Rsi} = 0.70$





5/7 Purso LK100ECO

