

2024-01-10



PursoCal

# News-Letter

DataBase-3076  
V12



- LK78X replaced gasket “QL46105” with  
New gasket “DX787”, updated U-values
- LK75eco – System is inactive
- LK78X/SW – updated brush gasket fixation with new screw  
-RUUVI4225

P76E added tools for gasket fixation- JMK2515, JMK2516.

Can be added from “Additional articles”

**Additional Articles**

Number Location Description Position segm... W/(m²)

Add Secondary Article

Supplier: All  
Article Type: All

Article number: jmk251  
Segment Assignment:  
Unit:  
Location: Bottom  
Quantity: 1 per m  
Colour Selection: Without

Formula: Element Width (1041) +/- Value: 0,0 mm  
Element Height (1565.3) +/- Value: 0,0 mm  
Primary Angles: 90 ° 90 °  
Secondary Angles: 90 ° 90 °  
Assembly Name:

Assignment Estimation: <Standard>  
Assignment Quotation: Display  
Labour Hours: no  
Price: EUR/m

Sightline

Insert as Macro OK Cancel

P76E removed K2544 from “Position properties”

**Position Properties: 106**

**General**  
Glazing Bead Variant:  
Gasket Variant: Standard Isolator

**Drainage**  
Bottom Frame: Invisible  
Transom: Invisible

**Connections**  
 Cut Connectors

**Colour**  
Favoriten: Without  
 Single-Colour  Dual-Colour  
Frame element: ES ES200 Brown

**Others**  
Glass Gasket: Per Metre  
Sealing to Structure: Perimeter x 1  
Weather Bar: Without  
Additional Pieces: K2545

Save as Project Preference OK

V12 – P80 – fixed profile - 80030 length

V12 – LK78X – on new profiles – 781401,781403  
added corner machining

V12 – P50L – transom 5021624 – T-connection  
error fixed.

V12 – LK78SW – standard reinforced- added  
missing wall connection

V12 – LK90eco – updated Declaration of  
performance



# What's Coming

- Updated P50S
- P50L EI30-60
- P80 shoot bolt closure machining
- P80 safety pins “mark” for machining
- P80 glass wall for Finnish customers
- P76E new U-values together with PUR-insulator

## Contacts:

Edgard Bodnar  
R&D Specialist  
Edgard.Bodnar@purso.com  
+370 608 30 796

Customer and Architect support  
Buildinginfo@purso.fi  
+358 334 04 600